JINYU | GOLDRAIN

宁波金雨日用品有限公司 | 宁波金雨科技实业有限公司 | 宁波金苑包装有限公司
Ningbo Jinyu Commodity Co., LTD. | Ningbo Jinyu Technology Industry Co., LTD. | Ningbo Jinyuan Packaging Co., LTD.

中国浙江省余姚市冶山路589号 No. 589, Yeshan Road, Yuyao City, Zhejiang Province, China
Export Dep. Tel: 0086-574-62664800 / 62664802
Fax: 0086-574-62661558

国内销售电话: 0574-58123161 传真: 0574-62829798
Http://www.chinaspray.com E-mail:goldrain@chinaspray.com

金雨

JINYU | GOLDRAIN

Design Beauty, Make Beauty, GOLDRAIN Beauty.

www.chinaspray.com

2023 CATALOGUE

REALIZATION OF GOLDRAIN'S SUSTAINABLE DEVELOPMENT

GOLDRAIN actively responds to global recycling standards, follows APR design to guide the formulation of materials used for various components of our products; we actively use PCR materials in production; at the same time, we make strong commitments on corporate's social responsibility and environmental protection.

WHO WE ARE

Founded in 1995, GOLDRAIN is a leading manufacturer specializing in developing and producing package for skin care, cosmetic, household, cleaning, personal care and perfumery products. With study of the market and customer needs, GOLDRAIN has never stopped its footprint to be at the forefront of international trends and offers a "one-stop" service to the whole world. After 28-year development, GOLDRAIN has established a stable sales network around the world. Over 95% of our products are exported to all over the world with a reputation for quality, great personal service, technical know-how and competitive price. Our goal is not only to be the supplier of customers, but to be your package designer.

JINYU | GOLDRAIN

新金雨，新未来
NEW GOLDRAIN, NEW FUTURE

WeChat Public Number

WeChat ID

PACKAGING FOR

- Color Cosmetic
- Skin Care
- Perfume
- Personal Care
- Household Cleaning Products

REFILL

RECYCLE

REDUCE

REUSE

PCR — Post Customer Recycled

OBP — Ocean Bound Plastic

Plastic — All Plastic

AL — Mono AL

PP — Mono PP

PET — Mono PET

www.chinaspray.com

Equipment

R&D Design

Quality Control

Marketing Service

JINYUAN
金 苑 包 装

Ningbo Jinyuan Packaging Co., LTD.

宁波金苑包装有限公司是一家专业生产口红管，香水泵铝套和化妆品配套的氧化铝制品的公司，是集产品研发，模具生产与制造，生产和销售为一体的规模型企业。车间环境整洁，生产自动化程度高，厂区配套设施齐全。公司始终遵循“诚信务实，顾客满意，品质至上，创新发展”的企业宗旨，发扬“开拓进取，拼搏争先”的企业精神，真诚欢迎您来我司参观指导，交流合作。

Ningbo Jinyuan Packaging Co.,LTD is a company which specialized in providing aluminum parts for lipstick , crimp pump and cosmetic package. From RD to mold design , production and sales, we are capable to provide full service for our clients. Clean production environment, high speed of automatic assembly facility, excellent operation system enable us to be a leading manufactuer of cosmetic package. We always follow the principle of honesty pragmatic, customer satisfaction, quality first, innocation development, we sincerely welcome client worldwide to visit us.

CERTIFICATE

证 书

ISO14000

WIT ASSESSMENT

萬泰認證

CERTIFICATE OF REGISTRATION

This is to certify that the Management System established by

NINGBO JINYU TECHNOLOGY INDUSTRY CO.,LTD

NO.589,YESSHAN,YUYAO CITY,ZHEJIANG PROVINCE,CHINA,315400

Unified Social Credit Code: 91330281551131533U

Has been assessed to comply with the requirements of the international standard

GB/T24001-2016 idt ISO14001:2015

Scope of certification

THE MANAGEMENT OF ENVIRONMENT ABOUT DESIGN AND MANUFACTURE OF COSMETIC PACKAGE

NO:15/21E0648R10 DATE OF ISSUE:Apr.30,2021 VALID UNTIL: Jan.01,2024

The Certificate Information Can be Obtained by Visiting http://www.cnca.gov.cn.

ISO9000

WIT ASSESSMENT

萬泰認證

CERTIFICATE OF REGISTRATION

This is to certify that the Management System established by

NINGBO JINYU TECHNOLOGY INDUSTRY CO.,LTD

NO.589,YESSHAN,YUYAO CITY,ZHEJIANG PROVINCE,CHINA,315400

Unified Social Credit Code: 91330281551131533U

Has been assessed to comply with the requirements of the international standard

GB/T19001-2016 idt ISO9001:2015

Scope of certification

THE DESIGN AND MANUFACTURE OF COSMETIC PACKAGE

NO:15/21Q0647R10 DATE OF ISSUE:Apr.30,2021 VALID UNTIL: Jan.01,2024

The Certificate Information Can be Obtained by Visiting http://www.cnca.gov.cn.

SGS

NINGBO BOLY MEDICAL EQUIPMENT CO., LTD.

ISO 13485:2016
EN ISO 13485:2016

Design and Manufacture of Electric Saw Drill used in Orthopedic Operation

SGS

NINGBO BOLY MEDICAL EQUIPMENT CO., LTD.

Directive 93/42/EEC

on medical devices, Annex II (excluding Section 4)

Electric Saw Drill used in Orthopedic Operation

SGS Belgium NV, Notified Body 1639

FDA REGISTRATION CERTIFICATE

Certificate No.: JF-FDA-1115-0024

Certificate Holder:
NINGBO BOLY MEDICAL EQUIPMENT CO.,LTD.
Kangshan Village, Yangming Street,
Yuyao, Zhejiang, 315456, CHINA

Registration Number: 3011495120

Owner/Operator Number: 10047879

Data of verification: November 15th , 2019

Listing Number	Product Codes	Device Name
D228183	GET	MOTOR, SURGICAL INSTRUMENT, PNEUMATIC POWERED
D228188	HTO	REAMER

Registration Expiration Date: 2020-12-31

J&F TECHNOLOGY SERVICES LLC has verified and declares that the above stated facility is registered with the US Food & Drug Administration, Center for Drug Evaluation and Research, Office of Drug Registration and Listing pursuit to the Code of Federal Regulation 21 CFR 207, on the data state above, and makes no other representations and warranties, nor does this certificate makes other representations and warranties to other person or entity other than the name certificate holder, for whose sole benefit it is issued. J&F TECHNOLOGY SERVICES LLC assumes no liability to any person or entity in connection with the foregoing. J&F TECHNOLOGY SERVICES LLC is a private registration agent and is not affiliated with the US Food and Drug Administration.

J&F TECHNOLOGY SERVICES LLC.
2424 Morris Ave 818 Union
NEW JERSEY 07083
United States

Signature: Fanny Zhao G M

FDA

ISO45001

WIT ASSESSMENT

萬泰認證

CERTIFICATE OF REGISTRATION

This is to certify that the Management System established by

NINGBO JINYU TECHNOLOGY INDUSTRY CO.,LTD

NO.589,YESHANG ROAD, YUYAO CITY,ZHEJIANG PROVINCE,CHINA

Unified Social Credit Code: 91330281551131533U

Has been assessed to comply with the requirements of the standard

GB/T 45001-2020 idt ISO45001:2018

Scope of certification

THE MANAGEMENT OF OCCUPATIONAL HEALTH SAFETY ABOUT DESIGN AND MANUFACTURE OF INTERMITTENT SPRAYER,COSMETIC PLASTIC AND ALUMINUM-PLASTIC PACKAGE

NO:15/20S0799R00 DATE OF ISSUE:Jun.12,2020 VALID UNTIL: Jun.11,2023

The Certificate Information Can be Obtained by Visiting http://www.cnca.gov.cn.

浙江制造认证证书

证书编号：CZJM2020P1012901R0M

认证委托人：宁波金雨科技实业有限公司

地址：浙江省余姚市冶山路589号

产品生产者：宁波金雨科技实业有限公司

地址：浙江省余姚市冶山路589号

生产企业：宁波金雨科技实业有限公司

地址：浙江省余姚市冶山路589号

认证标准：DB33/T 944.1-2014, DB33/T 944.2-2017, TZZB 1056—2019

认证模式：产品检验+“浙江制造”评价规范管理要求评审+获证后监督

产品名称：化妆品包装 塑料真空瓶

型号规格：GR202B(15ml,30ml,50ml)

以上产品符合（“浙江制造”认证实施细则—ZJM-003-3649-2019化妆品包装瓶罐实施”）的要求，按此使用加图所示的标志，本证书所有权协会保持，证书版权为可登录官方网站查询。

ZHE JIANG MADE

浙江制造国际认证联盟

SMETA

Sedex Members Ethical Trade Audit Report

Version 6.1

Bureau Veritas Certification

Bureau Veritas Certification Holding SAS – UK Branch

certify that having conducted an audit

At

Ningbo Jinyu Technology Industry CO., LTD.

BRCGS site code: 1398587

Audit site address:

No. 589 Yeshan Road, Yuyao City, Zhejiang Province, P.R.China

For the scope of activities: Production of PP/HDPE/PET/OHD sprayers and bottles used for cosmetics, including the main processes of injection moulding, spray coating or not (sub-covered), UV varnishes or not (sub-covered), hot stamping or not, silk screen printing or not, assembly and packing.

Exclusions from scope: None

Product Categories: 04 - Rigid plastics, 07 - Print processes

Has achieved Grade: B

Meets the requirements set out in the

GLOBAL STANDARD for PACKAGING MATERIALS

Issue 6: August 2019

Audit Programme:	Announced		
Audit start date:	15-08-2022	Audit finish date:	16-08-2022
Auditor Number:	22413		
Re-audit Due Date:	From 27-11-2022	To 27-08-2023	
Certificate Expiry Date:	08-10-2023		
Certificate number:	CN842123	Certificate Issue Date:	27-09-2022

Signed on behalf of BVCH SAS - UK Branch

Certification body address: Bureau Veritas Certification Holding SAS – UK Branch Fifth Floor, 66 Prescot Street, London E1 8HG, United Kingdom

Shanghai Office: No. 1568, Shimin Road, Hongqiao District, Shanghai, 200011 China

This certificate remains the property of Bureau Veritas Certification Holding SAS-UK Branch

If you would like to feedback comments on the BRCGS Standard or the audit process directly to BRCGS, please contact info@brcgs.com

Visit the BRCGS Directory (bvquestbrcgs.com) to validate the authenticity of this certificate

intertek

ACHIEVEMENT AWARD

NINGBO JINYU TECHNOLOGY INDUSTRY CO., LTD.

宁波金雨科技实业有限公司

589 Yeshan Road, Fengshan Street, Yuyao City, Zhejiang Province, China

中国浙江省余姚市凤山街道冶山路 589 号

has been assessed by Intertek as conforming to the requirements of:

Workplace Conditions Assessment

Intertek has assessed the practices of the above facility according to the scope of the Workplace Conditions Assessment, which resulted in meeting the performance criteria required for the "Achievement Award"

The evaluation of the facility covered the following areas:

1. Labour
2. Wages and Hours
3. Health and Safety
4. Management System
5. Environment

WORKPLACE

Registration Number: F_IAR_119308_WCA

Issue Date: April 28, 2022

Expiry Date: April 27, 2023

Guillaume Gignac
Global Vice President,
Technical Management & Quality,
Business Assurance, Intertek

Cary Chan
Certification Administration Centre, Intertek

intertek

RECORD OF PARTICIPATION

Ningbo Jinyu Technology Industry Co., Ltd.

宁波金雨科技实业有限公司

No. 589, Yeshan Road, Fengshan Street, Yuyao City, Ningbo City, Zhejiang Province, China

中国浙江省宁波市余姚市凤山街道冶山路 589 号

has been assessed by Intertek as conforming to the requirements of:

Global Security Verification

This document verifies that the named facility has voluntarily participated in the Global Security Verification program. A comprehensive supply chain security verification of the named facility was conducted by an independent third party to determine appropriate minimum security measures, as published by the U.S. Bureau of Customs and Border Protection and other international mutually recognized supply chain security programs, are implemented and maintained throughout the facility.

Specifically, this verification focused on existing processes, procedures and infrastructure related to the following areas of supply chain security:

1. Security Vision and Responsibility
2. Risk Assessment
3. Business Partner Security
4. Cybersecurity
5. Conveyance and Instruments of International Traffic Security
6. Seal Security
7. Procedural Security
8. Agricultural Security
9. Physical Access Controls
10. Physical Security
11. Personnel Security
12. Education, Training and Awareness

GLOBAL SECURITY VERIFICATION

Registration Number: F_IAR_119308_GSV-R1

Audit Date: April 15, 2022

Issue Date: April 20, 2022

Expiry Date: April 19, 2023

Raquel Saze
GSV Program Manager, Intertek

Guillaume Gignac
Global Vice President,
Technical Management & Quality,
Business Assurance, Intertek

COSMETIC PACKAGING
Catalogue

P14-34
Lipstick series

GL101 15
GL102 15
GL103 16
GL105 16
GL106(906) 17
GL109 17
GL111 18
GL112 19
GL113 19
GL201 20
GL202 20
GL203(904) 21
GL206 21
GL207 22
GL208(908) 22
GL209 23
GL301 23
GL302 24
GL501 24
GL502 25
GL503 25
GL505 26
GL507 26
GL601 27
GC101 27
GC201 28
GC301 28
GC308 29
GC309 29
GC501 30
GC601 30
A Mechanism 31
B Mechanism 32
C Mechanism 33
D Mechanism 34
E Mechanism 34

P35-37
Compact series

GC702 36
GC705 37
GC706 37

P38-74
Airless Bottle series

GR101A 40
GR102A 40
GR103A/B 41
GR105A 41
GR106A/B/C/D 42
GR201A/B/C 42
GR202A 43
GR202B 43
GR202C 44
GR202D 44
GR202E 45
GR202F 45
GR202G 46
GR202H 46
GR202J 47
GR203A 47
GR203B 48
GR203C 48
GR205A/B/C 49
GR206A 49
GR208A 50
GR209A 50
GR210A/B/C 51
GR210D 51
GR211A 52
GR212A 52
GR213A 53
GR215A/B 53
GR216A/B 54
GR217A 54
GR218A 55
GR218B 55
GR219A 56
GR221A/B/C/D 56
GR222A 57
GR224A 57
GR225A 58
GR226A/B/C/D 58
GR227A/B/C 59
GR228A 59
GR229A 60
GR230A 60
GR231A 61
GR234A/B 61
GR233A/B/C/G 62
GR236A 63
GR237A/B 63
GR238A 64
GR240A 64
GR241A 65
GR242A 65
GR243A 66
GR246A 66
GR247A 67
GR303A 67
GR305A 69
GR306A 69
GR501A/B 70
GR502A/B 70
GR506A 70
GR601A/B/C 71
GR602A 71
GR605A/B/C/D/E
GR605H/J/K/L/M 73
GR606A 74
GR607A/B 74
GR608A 75
GR609A 75
GR610A/B 76
GR611A 76

Syringe Airless series

GR239A/B/C 77
GR902A 77

Dropper Bottle series

GR901A 78
GR903A/B/C 78

Toner Bottle series

GR913A 79

Sun Care Bottle series

GR912A/B/C 80

P81-84
Airless Pump series

AGR 3010001 82
AGR 3010002 82
AGR 3010003 82
AGR 3010004 82
AGR 3010005 82
AGR 3010006 82
AGR 3010008 82
AGR 3010009 82
AGR 3010010 82
AGR 3010011 82
AGR 3010012 82
AGR 3010013 82
AGR 3010014 82
AGR 3010015 82
AGR 3010016 82
AGR 3010017 83
AGR 3010018 83
AGR 3010019 83
AGR 3010020 83
AGR 3010021 83
AGR 3010022 83
AGR 3010023 83
AGR 3010024 83
AGR 3010026 83
AGR 3010027 83
AGR 3010028 83
AGR 3010029 83
AGR 3010030 83
AGR 3010032 83
AGR 3010033 83
AGR 3010035 83
AGR 3010043 83
AGR 3010046 83
AGR 3010047 83
AGR 3010048 84
AGR 3010051 84
AGR 3010052 84
AGR 3010053 84
AGR 3010054 84
AGR 3010055 84
AGR 3010056 84
AGR 3010057 84
AGR 3010058 84
AGR 3010059 84
AGR 3010060 85

P85-97
Cream Jar series

GR704A/B 86
GR705A 86
GR706A 87
GR708A 87
GR707A/B/C/D 88
GR708B 89
GR708C 89
GR708D 90
GR710A 90
GR711A 91
GR712A 91
GR713A 92
GR716A 92
GR717A 93
GR726A 93
GR721A 94
GR721B 94
GR721C 95
GR721D 95
GR729A 96
GR730A 96
GR731A 97

SPRAYER
Catalogue

P98-102
Perfume Sprayer series

JY802 99
JY805 99
JY807 100
JY808 101
JY809 101
JY811 102
JY812 102

P103-110
Mist Sprayer series

JY601-03 104
JY601-05 105
JY601-06 105
JY601-07 106
JY601-08 106
JY601-09/10/11/19 107
JY602 108
JY603 108
JY605 108
JY608 109
JY609 110
JY611 110

P111-116
Cream Pump series

JY501-01 112
JY501-02 112
JY502 113
JY503 113
JY505-01 114
JY505-03 114
JY505-02 115
JY505-04 115
JY506 116
JY507 116

P117-119
Foam Pump series

JY201 118
JY202 118
JY203 119
JY206 119

P120-132
Lotion Pump series

JY301 122
JY302 122
JY303 123
JY310 123
JY308 124
JY311 124
JY331 124
JY312 126
JY315 127
JY327 127
JY316 128
JY330 128
JY317 129
JY318 129
JY320 130
JY325 130
JY326 131
JY328 132
JY329 132

P133-135
Well Pump series

JY703 134
JY705 134
PET Bottle For Well Pump 135

P136-144
Trigger Sprayer series

JY102 138
JY101 140
JY105 140
JY106 141
JY107 142
JY108 142
JY113 143
JY115 144

P145
Cap series

JY902 145
JY903 145

BOLY MEDICAL
Catalogue

P146-147
Surgical Porwer Tools series

BL-1000 146

JINYU | GOLDRAIN

Lipstick Series



Authorized Patent 专利已授权

GL101

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	AL
	Glue	√	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	55/45		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm



Authorized Patent 专利已授权

GL102 (Magnet)

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		CUP I.D.	12.7/12.1mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL103

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	AL
	Glue	√	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm

Authorized Patent 专利已授权



GL106(906)

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	AL
	Glue	√	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	70/30		MAT. Collar	ABS / ABS PCR
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm

Authorized Patent 专利已授权



GL105

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	AL
	Glue	√	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	80/20		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm

Authorized Patent 专利已授权



GL109 (100%PET/PET PCR)

MECHA REF	A		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	PET / PET PCR
	Glue	×	MAT. Base	PET / PET PCR
	POM	×	MAT. Cap	PET / PET PCR
Ratio	80/20		CUP I.D.	12.7/12.1mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL112

MECHA REF	A		FILL. Capacity	4.5±0.5g
	Oil	√	MAT. Shell	AL
MECHA Note	Glue	√	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	80/20		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm

NEW

Authorized Patent 专利已授权

[Refillable 内芯可替换]



GL111 (100% AL, Refillable)

MECHA REF	A		FILL. Capacity	4.0±0.5g
	Oil	√	MAT. Shell	AL
MECHA Note	Glue	√	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	12.7/12.1mm



GL113

MECHA REF	A	MAT. Shell	ABS / ABS PCR
Ratio	80/20	MAT. Base	ABS / ABS PCR
FILL. Mode	TOP	MAT. Cap	ABS / ABS PCR
FILL. Capacity	4.5±0.5g	CUP I.D.	12.7/12.1mm

LIPSTICK

GOLDRAIN

Authorized Patent 专利已授权



GL201

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	ABS/ABS PCR
FILL. Mode	TOP		CUP I.D.	10.92mm

Authorized Patent 专利已授权



GL203(904)

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	70/30		MAT. Collar	ABS / ABS PCR
FILL. Mode	TOP		CUP I.D.	10.92mm

Authorized Patent 专利已授权



GL202

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	ABS/ABS PCR
FILL. Mode	TOP		CUP I.D.	10.92mm

Authorized Patent 专利已授权



GL206 (100%PET/PET PCR)

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	√	MAT. Shell	PET / PET PCR
	Glue	×	MAT. Base	PET / PET PCR
	POM	×	MAT. Cap	PET / PET PCR
Ratio	50/50		CUP I.D.	10.92mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL207 (100%PP/PP PCR, Airtight)

MECHA REF	B		FILL. Capacity	3.0±0.5g
MECHA Note	Oil	√	MAT. Shell	PP / PP PCR
	Glue	×	MAT. Base	PP / PP PCR
	POM	×	MAT. Cap	PP / PP PCR
Ratio	50/50		CUP I.D.	10.92mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL209 (Magnet)

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		CUP I.D.	10.92mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL208(908) (Magnet)

MECHA REF	B		FILL. Capacity	3.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	50/50		CUP I.D.	10.92mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL301

MECHA REF	C		FILL. Capacity	2.5±0.5g
MECHA Note	Oil	×	MAT. Shell	ABS / ABS PCR
	Glue	×	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	PP / PP PCR
Ratio	60/40		CUP I.D.	9.6mm
FILL. Mode	TOP			



[Refillable 内芯可替换]

Authorized Patent 专利已授权

GL302 (100%PET/PET PCR, Refillable)

MECHA REF	C		FILL. Capacity	4.5±0.5g
MECHA Note	Oil	√	MAT. Shell	PET / PET PCR
	Glue	×	MAT. Base	PET / PET PCR
	POM	×	MAT. Cap	PET / PET PCR
Ratio	60/40		CUP I.D.	12.7/12.1mm
FILL. Mode	TOP			



Authorized Patent 专利已授权

GL502

MECHA REF	D		FILL. Capacity	2.3±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	8.4mm



Authorized Patent 专利已授权

GL501

MECHA REF	D		FILL. Capacity	2.3±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	AL
	POM	×	MAT. Cap	AL
Ratio	50/50		MAT. Collar	AL
FILL. Mode	TOP		CUP I.D.	8.4mm



GL503

MECHA REF	D		FILL. Capacity	2.3±0.5g
MECHA Note	Oil	√	MAT. Shell	ABS / ABS PCR
	Glue	√	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	50/50		CUP I.D.	8.2mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL505

MECHA REF	D		FILL. Capacity	2.3±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	50/50		CUP I.D.	8.4mm
FILL. Mode	TOP			

Authorized Patent 专利已授权



GL601 (Mini)

MECHA REF	E		FILL. Capacity	1.5±0.5g
MECHA Note	Oil	√	MAT. Shell	AL
	Glue	√	MAT. Base	ABS / ABS PCR
	POM	×	MAT. Cap	ABS / ABS PCR
Ratio	50/50		CUP I.D.	9.2mm
FILL. Mode	TOP			

NEW



Private Mould Pantented

GL507

MECHA REF	D		FILL. Capacity	2.5±0.5g
MECHA Note	Oil	×	MAT. Shell	AL
	Glue	×	MAT. Base	ABS
	POM	×	MAT. Cap	ABS
Ratio	70/30		MAT. Collar	ABS
FILL. Mode	TOP		CUP I.D.	8.4mm



Tip Option. /毛刷头选项

TipA Privated Mould

TipB Public Mould

GC101 (Unidirectional Rotation)

Ratio	30/70	MAT. Base	AL
FILL. Mode	TOP	MAT. Cap	AL
FILL. Capacity	4.5±0.5g	NFC	3.3±0.5g



GC201 (Pressable)

Ratio	30/70	MAT. Shell	ABS / ABS PCR
FILL. Mode	TOP	MAT. Base	ABS / ABS PCR
FILL. Capacity	2.0±0.5g	MAT. Cap	ABS / ABS PCR
		CUP I.D.	7.2mm



NEW

GC308

Ratio	40/60	NFC	3.0±0.5g
FILL. Mode	TOP	MAT. Base	PETG
FILL. Capacity	4.5±0.5g	MAT. Cap	PETG



GC301

Ratio	30/70	MAT. Base	PETG
FILL. Mode	TOP	MAT. Cap	ABS / ABS PCR
FILL. Capacity	4.5±0.5g	NFC	3.0±0.5g



NEW

GC309

Ratio	40/60	NFC	2.0±0.5g
FILL. Mode	TOP	MAT. Base	PETG
FILL. Capacity	3.5±0.5g	MAT. Cap	PETG

LIPSTICK



GC501 (100%PP/PP PCR, Deodorant)

Note	Oil	×	FILL. Capacity	50.0±5.0g
	Glue	×	MAT. Base	PP / PP PCR
	POM	×	MAT. Cap	PP / PP PCR
Ratio	30/70		NFC	47.7±5.0g
FILL. Mode	BASE			



GC601 (Deodorant In Lipstick Style, Eye Cream)

Note	Oil	×	FILL. Capacity	8.0±1.0g
	Glue	×	MAT. Shell	ABS / ABS PCR
	POM	×	MAT. Base	ABS / ABS PCR
Ratio	50/50		MAT. Cap	PP / PP PCR
FILL. Mode	TOP			

LIPSTICK-Mechanism

A Mechanism

CUP I.D.	12.7/12.1mm
FILL. Capacity	4.5±0.5g
MAT. Shell	AL

A Mechanism (No Oil, No Glue)

CUP I.D.	12.7/12.1mm
FILL. Capacity	4.5±0.5g
MAT. Shell	AL



A Mechanism (100% AL)

CUP I.D.	12.7/12.1mm
FILL. Capacity	4.0±0.5g
MAT. Shell	AL

LIPSTICK-Mechanism



Authorized Patent 专利已授权

B Mechanism

CUP I.D.	10.92mm
FILL. Capacity	3.5±0.5g
MAT. Shell	AL

Authorized Patent 专利已授权

C Mechanism

CUP I.D.	9.6mm
FILL. Capacity	2.5±0.5g
MAT. Shell	ABS



Authorized Patent 专利已授权

B Mechanism (100% PET)

CUP I.D.	10.92mm
FILL. Capacity	3.5±0.5g
MAT. Shell	PET



Authorized Patent 专利已授权

C Mechanism (100% PET)

CUP I.D.	12.7/12.1mm
FILL. Capacity	4.5±0.5g
MAT. Shell	PET



Authorized Patent 专利已授权

B Mechanism (100% PP)

CUP I.D.	10.92mm
FILL. Capacity	3.0±0.5g
MAT. Shell	PP



Authorized Patent 专利已授权

D Mechanism

CUP I.D.	8.4mm
FILL. Capacity	2.3±0.5g
MAT. Shell	AL

LIPSTICK-Mechanism



D Mechanism (100% Plastic)

CUP I.D.	8.2mm
FILL. Capacity	2.3±0.5g
MAT. Shell	ABS

Authorized Patent 专利已授权



E Mechanism

CUP I.D.	9.2mm
FILL. Capacity	1.5±0.5g
MAT. Shell	AL

JINYU | GOLDRAIN

Compact

Series

NEW



GC702

MAT. Base	ABS
MAT. Cap	ABS
Mirror	√
Note	Magnetic

NEW



Private Mould Pantented

GC705

MAT. Base	PETG
MAT. Cap	PETG
Mirror	×
Note	Card Button

NEW



Private Mould Pantented

GC706 (Refillable)

MAT. Base	ABS
MAT. Cap	ABS
Mirror	√
Note	Card Button

JINYU | GOLDRAIN

Airless Bottle

Series

Environment Friendly Materials

— PCR

AIRLESS BOTTLE

PP / PP PCR

Authorized Patent 专利已授权



Snap on

GR101A

5ml, 8ml, 10ml, 15ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR101A	5ml	74.0	50.7	33.0	18.3	0.10ml
	8ml	88.2	64.9	47.3		
	10ml	105.9	82.4	69.0		
	15ml	130.9	107.4	98.0		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Dust Cap Option. /外罩选项

PP / PP PCR



Snap on

GR102A

5ml, 10ml, 15ml , 18ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR102A	5ml	64.5	38.5	22.0	25.2	0.20ml
	10ml	76.3	50.0	34.0		
	15ml	91.3	65.0	49.0		
	18ml	103.2	76.9	61.2		

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Actuator Option.
头帽选项

GR103A
Authorized Patent
专利已授权

GR103B

PP / PP PCR

Authorized Patent 专利已授权



GR103A/B

7.5mlx2, 15mlx2

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR103-15	7.5mlx2	112.1	77.8	55.7	53.0 x 28.0	0.20ml/0.40ml
GR103-30	15mlx2	146.7	112.4	90.3		

Part/部件	Cap/外罩	Pump/连接盖	Inner Bottle/内瓶	Outer Bottle/外瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

PP / PP PCR

Authorized Patent 专利已授权



Snap on

GR105A

3ml, 5ml, 10ml, 15ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR105A	3ml	54.7	29.0	8.0	23.2	0.10ml
	5ml	60.6	35.0	13.0		
	10ml	76.4	51.0	23.0		
	15ml	92.5	67.0	40.0		

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

AIRLESS BOTTLE

Actuator Option. /头帽选项

PP | PP PCR

Authorized Patent 专利已授权

GR106A/B/C/D

5ml, 8ml, 10ml, 15ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR106A/B/C	5ml	74.3	48.5	36.0	19.0	0.10ml
	8ml	89.2	63.4	51.0		
	10ml	98.1	72.3	60.0		
	15ml	124.4	98.2	83.4		
GR106D	5ml	92.8	48.5	36.0	19.0	0.10ml
	8ml	107.7	63.4	51.0		
	10ml	116.6	72.3	60.0		
	15ml	142.5	98.2	83.4		

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/外瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Dust Cap Option. /外罩选项

PP | PP PCR

Authorized Patent 专利已授权

GR201A/B/C

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR201A/C	15ml	83.2/85.2	57.5	40	30.8	0.20ml
	30ml	110.1/112.1	84.6	65.6		
	50ml	150.0/152.0	124.0	105.0		
GR201B (Snap on)	30ml	120.1	83.1	65.6	30.8	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Actuator Option.
头帽选项

GR202A

15ml, 30ml, 50ml, 80ml, 100ml, 120ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202A	15ml	102.4	68.8	16.5	33.4	0.20ml
	30ml	125.4	91.8	39.5		
	50ml	161.3	127.7	75.4		
	80ml	153.1	121.6	69.5	40.9	0.20ml
	100ml	174.9	143.4	91.1		
	120ml	194.7	163.2	110.9		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	Metal&PP	PP	Metal	AS	Metal

Actuator Option.
头帽选项

GR202B

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202B	15ml	100.7/106.1	68.8/74.2	16.5	33.4	0.20ml
	30ml	123.7/129.1	91.8/97.2	39.5		
	50ml	159.6/166	127.7/133.1	75.4		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP&Metal	AS	PP&Metal/ABS

AIRLESS BOTTLE

Actuator Option.
头帽选项

Lotion A

Lotion B

Spray

GR202C

15ml, 30ml, 50ml, 80ml, 100ml, 120ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202C	15ml	95.3/100.7	63.6/69	16.5	33.4	0.20ml
	30ml	118.3/123.7	86.6/92	39.5		
	50ml	154.2/159.6	122.5/127.9	75.4		
	80ml	153.1	121.6	69.5	40.9	
	100ml	174.9	143.4	91.1		
	120ml	194.7	163.2	110.9		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	AS/ABS	PP	ABS	AS	ABS

Actuator Option.
头帽选项

Lotion A

Lotion B

Spray

GR202E

15ml, 30ml, 50ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202E	15ml	100.7/106.1	63.6/69	16.5	33.4	0.20ml
	30ml	123.6/129	86.6/92	39.5		
	50ml	159/164.4	122.5/127.9	75.4		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP/Metal	AS	PP&Metal/ABS

Actuator Option.
头帽选项

Lotion

Spray

GR202D

15ml, 30ml, 50ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202D	15ml	95.5/100.9	63.6/69	16.5	33.4	0.20ml
	30ml	118.5/123.9	86.6/92	39.5		
	50ml	154.4/159.8	122.5/127.9	75.4		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP&Metal	AS	PP&Metal/ABS

GR202F

80ml, 100ml, 120ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202F	80ml	155.4	120.9	69.3	40.9	0.20ml
	100ml	177.2	142.7	91.1		
	120ml	197.0	162.5	120.9		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP	AS	ABS

AIRLESS BOTTLE

Actuator Option.
头帽选项

Lotion

Spray

GR202G

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202G	15ml	95.3/100.7	63.6/69	16.5	33.4	0.20ml
	30ml	118.3/123.7	86.6/92	39.5		
	50ml	154.2/159.6	122.5/127.9	75.4		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	AS/ABS	PP	PP	AS	AS/ABS

Actuator Option.
头帽选项

Lotion

Spray

GR202H

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202H	15ml	95.5/100.9	63.6/69	16.5	33.4	0.20ml
	30ml	118.5/123.9	86.6/92	39.5		
	50ml	154.4/159.8	122.5/127.9	75.4		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP	AS	ABS

GR202J

15ml, 30ml, 50ml, 80ml, 100ml, 120ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR202J	15ml	89.2/94.6	63.6/69	16.5	33.4	0.20ml
	30ml	112.2/117.5	86.6/92	39.5		
	50ml	148.1/153.5	122.5/127.9	75.4		
	80ml	147	121.6	69.5	40.9	0.20ml
	100ml	168.8	143.4	91.1		
	120ml	188.6	163.2	110.9		

Part/部件	Actuator/头帽	Actuator Cover/泵套	Bottle/瓶	Base/底座
Material/材质	ABS	ABS	AS	ABS

Dust Cap Option.
外罩选项

Solid ABS

Natural AS

GR203A

15ml, 20ml, 30ml, 35ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR203A	15ml	105.2	78.3	35.0	26.5	0.20ml
	20ml	118.2	87.3	44.0		
	30ml	161.2	130.3	87.0		
	35ml	168.2	137.3	94.0		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	AS/ABS	PP&Metal/PP	ABS	AS	ABS

AIRLESS BOTTLE

Dust Cap Option.
外罩选项

Solid ABS

Natural AS

Actuator Option.
头帽选项

GR205A

GR205B

GR205C
Authorized Patent
专利已授权

Authorized Patent
专利已授权



GR203B

15ml, 20ml, 30ml, 35ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR203B	15ml	102.0	77.3	35.0	26.5	0.20ml
	20ml	115.0	86.5	44.0		
	30ml	158.0	129.3	87.0		
	35ml	165.0	136.5	94.0		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	AS/ABS	PP&Metal/PP	Metal&PP	AS	ABS



GR205A/B/C

15mlx2

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR205A-30	15mlx2	134.5	107.5	73.0	31.6x51.3	0.20ml/0.40ml
GR205B-30	15mlx2	143.0	107.5	73.0	31.6x51.3	0.20ml/0.40ml
GR205C-30	15mlx2	143.0	107.5	73.0	31.6x51.3	0.40ml

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶	Base/底座
Material/材质	AS/ABS	PP	ABS	AS	PP	ABS



GR203C

15ml, 20ml, 30ml, 35ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR203C	15ml	99.6	77.3	35.0	26.5	0.20ml
	20ml	112.6	86.5	44.0		
	30ml	155.6	129.3	87.0		
	35ml	162.6	136.5	94.0		

Part/部件	Actuator/头帽	Actuator Cover/泵套	Bottle/瓶	Base/底座
Material/材质	Metal/PP	ABS	AS	ABS



GR206A

10ml, 15ml, 25ml, 35ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR206A	10ml	114.7	83.8	46.2	30.2	0.20ml
	15ml	146.9	116	78.7		
	25ml	143.4	112	70	33.5	0.20ml
	35ml	173.3	142	100		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	AS	PP&Metal	ABS	AS	PP

AIRLESS BOTTLE

How to use. / 使用方法

GR208A

GR208B
Refillable
内瓶可替换

Refillable
内瓶可替换

GR208A/B

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR208A/B	15ml	97.2	63.1	38.0	36.7x36.7	0.20ml
	30ml	126.9	92.5	68.0		
	50ml	164.9	130.3	105.0		

Part/部件	Actuator/头帽	Pump Cap/连接盖	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP(GR208A)	ABS(GR208A)	ABS(GR208A)	AS(GR208A)	PP(GR208A)
	PP/PP PCR (GR208B)	PP/PP PCR (GR208B)	PP/PP PCR (GR208B)	PP/PP PCR (GR208B)	PP/PP PCR (GR208B)

Actuator Option.
头帽选项

Lotion A

Lotion B

Spray

PP / PP PCR

GR209A

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR209A	15ml	93.7	63.1	34.0	29.3	0.20ml
	30ml	123.1	92.5	63.4		
	50ml	160.9	130.3	101.2		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

GR210A

GR210B

GR210C

GR210D

Round
GR210F
Refillable

Flat
GR210G
Refillable

Refillable
内瓶可替换

GR210A/B/F/G

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR210A	15ml	93.9	63.5	48.5	36.6	0.20ml
	30ml	123.3	92.9	77.9		
	50ml	161.1	130.7	115.7		
GR210B	15ml	93.9	63.5	29.5		
	30ml	123.3	92.9	58.9		
	50ml	161.1	130.7	96.7		
GR210F Refillable	15ml	93.8	63.4	48.5		
	30ml	123.3	92.9	78.0		
	50ml	161.1	130.7	115.8		
GR210G Refillable	15ml	91.8	63.4	48.5		
	30ml	121.3	92.9	78.0		
	50ml	159.1	130.7	115.8		

Part/部件	Actuator/头帽	Pump Cap/连接盖	Shoulder/肩套	Outer Bottle/瓶	Inner Bottle/瓶	Base/底座
Material/材质	PP	ABS	ABS	AS	PP	ABS

GR210C/D

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR210C	15ml	93.9	70.1	32.5	36.6	0.20ml
	30ml	122.8	98.3	60.6		
	50ml	160.6	128.4	90.6		
GR210D	15ml	94.9	70.1	32.5		
	30ml	124.3	98.3	60.6		
	50ml	162.1	128.4	90.6		

Part/部件	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶	Base/底座
Material/材质	PP	PP	AS	PP	ABS

AIRLESS BOTTLE

PP / PP PCR

Authorized Patent 专利已授权



GR211A

15ml, 20ml, 25ml, 30ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR211A	15ml	89.1	59.0	30.4	32.2	0.20ml
	20ml	97.9	67.8	39.2		
	25ml	111.2	80.3	51.7		
	30ml	121.3	90.3	61.7		

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Nozzle Insert
内塞



GR212A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR212A	15ml	96.6	77.0	39.6	0.20ml
	30ml	126.1	106.0		
	50ml	164.0	145.0		

Part/部件	Decorating ring/装饰圈	Actuator/头帽	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	ABS	ABS	PMMA	PP

Nozzle Insert
内塞



GR213A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR213A	15ml	96.6	31.5x77	37.8x37.8	0.20ml
	30ml	126.1	31.5x106		
	50ml	164	31.5x 145		

Part/部件	Decorating ring/装饰圈	Actuator/头帽	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	ABS	ABS	PMMA	PP

Dust Cap Option.
外罩选项

GR215A
AS/ABS

GR215B
PP&Metal



GR215A/B

15ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR215A	15ml	111.2	76.3	38	27.2	0.20ml
GR215B	15ml	109.1	75.7			

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	Metal&PP/AS/ABS	Metal&PP/PP	Metal&PP/ABS	AS	Metal/ABS

AIRLESS BOTTLE

Top View / 顶视图

Oval Shape

Actuator Option. /头帽选项

Lotion A Lotion B

Dust Cap Option. /外罩选项

GR216A PMMA GR216B Metal&PP



GR216A/B

15ml, 30ml, 50ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR216A/B	15ml	112.1	80.9	15/12x96	34.6x31.5	0.20ml
	30ml	161.1	129.9	15/12x96		
GR216A	50ml	163.0	122.9	25/21x91	48.1x42.1	0.20ml
	100ml	180.5	144.1	34/31x108	60.0x50.0	

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/瓶	Inner Bottle/瓶
Material/材质	PP&METAL/PMMA	METAL&PP	ABS	PMMA	PP

Actuator Option.
头帽选项

Lotion A

Lotion B



GR217A

15ml, 30ml, 50ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR217A	15ml	112.1	80.9	15/12x96	34.6x31.5	0.20ml
	30ml	161.1	129.9	15/12x96	34.6x31.5	
	50ml	163	122.9	25/21x91	48.1x42.1	
	100ml	180.5	144.1	34/31x108	60.0x50.0	

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PMMA	METAL&PP	ABS	PMMA	PP

Actuator Option.
头帽选项

Lotion A

Lotion B



GR218A

15ml, 30ml, 50ml, 80ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR218A	15ml	102.6	70.1	47.5	39.0	0.20ml
	30ml	130.8	98.3	75.5		
	50ml	160.9	128.4	105.0		
	80ml	178.5	145.3	118.0	44.2	0.20ml
	100ml	203.8	170.6	144.0		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	AS	METAL&PP	ABS	AS	PP

Actuator Option.
头帽选项

Lotion A

Lotion B



GR218B

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR218B	15ml	102.6	70.1	32.5	39.0	0.20ml
	30ml	130.8	98.3	60.6		
	50ml	160.9	128.4	90.6		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	AS	METAL&PP	ABS	AS	PP

AIRLESS BOTTLE

Nozzle Insert
内塞



GR219A

30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR219A	30ml	84.8	57.0	49.0	0.20ml
	50ml	103.9	76.0		

Part/部件	Decorating ring/装饰圈	Actuator/头帽	Outer Bottle/外瓶	Inner Bottle/内瓶	Outer Base	Inner Base
Material/材质	ABS	ABS&PP	AS	PP	ABS	PP

GR221A
Actuator

GR221B
Actuator

GR221C
Actuator/
Snap On

GR221D
Glass Bottle/
Refillable

For GR225B/D only



GR221A/B/C/D

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR221A/B	15ml	86/90.9	66	43	40.4	0.20ml
	30ml	111/115.9	90.9	68		
	50ml	144/148.9	124	102		
GR221C (Snap on)	50ml	144.8	124	102		
GR221D	30ml	119.3	98.2	65.8	44.9	

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP	ABS	ABS	AS(GR221A/B/C) GLASS(GR221D)	PP

Actuator Option.
头帽选项

Lotion A

Lotion B

Authorized
Patent
专利已授权



GR222A

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR222A	15ml	96.3	64.5	40.0x30.0	37.0x37.0	0.20ml
	30ml	123.6	91.8	67.0x30.0		
	50ml	164.6	132.8	108.0x30.0		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	AS/ABS	PP&Metal	PP&Metal	ABS	AS	PP

PETG



GR224A

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR224A	15ml	98.7	69.0	48.0	36.8	0.20ml
	30ml	128.2	98.7	77.0		
	50ml	166.2	136.7	115.0		

Part/部件	Cap/外罩	Pump Cap/连接盖	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PETG	PP	PETG	PP

AIRLESS BOTTLE

Twist Lock / 扭锁方式

Actuator Option. /头帽选项

GR225A Lotion　GR225A Spray

PP / PP PCR

NEW

GR225A

15ml, 30ml, 50ml, 100ml



Snap on

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR225A	15ml	79.0	52.5	30.0	31.9	0.20ml
	30ml	102.5	76.1	53.7		
	50ml	135.2	108.8	86.4		
	100ml	151.7	124.9	101.4	41.7	

Part/部件	Actuator/头帽	Pump Cap/连接盖	Bottle/瓶	Base/底座
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Refillable 内瓶可替换

GR227A　GR227B　GR227C Refillable 内瓶可替换

GR227A/B/C

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR227A/B/C	15ml	94.65	66.8	48.5	36.6	0.20ml
	30ml	124.05	96.2	77.9		
	50ml	161.85	133.3	115.7		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP	PP	PP	AS	PP

Actuator Option. /头帽选项

GR226A Authorized Patent 专利已授权　GR226B

GR226C　GR226D

PP / PP PCR

Authorized Patent 专利已授权

GR226A/B/C/D

15ml, 30ml, 37ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR226A/B/C/D	15ml	101.0	70.7	47.5	30.0	0.20ml
	30ml	133.4	103.1	79.9		
	37ml	145.9	115.6	92.0		
	50ml	162.9	132.6	109.0	33.0	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR(GR226A/C/D) Metal(GR226B)	PP/PP PCR(GR226A/D) Metal(GR226B/C)	PP/PP PCR



GR228A

15ml, 30ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR228A	15ml	123.5	91.6	63.0	41.0	0.20ml
	30ml	143.5	111.5	83.0		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	MS	METAL&PP	ABS	MS	PP

AIRLESS BOTTLE

PP | PP PCR



Snap on

GR229A

15ml, 30ml, 80ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR229A	15ml	100.1	73.1	60.0	26.7	0.20ml
	30ml	114.9	87.9	65.7	30.7	
	80ml	150.0	122.9	100.3	39.2	

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR



Double Wall PP

PP | PP PCR



Snap on

GR231A

50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR231A	50ml	123.0	88.0	78.0	44.0	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

PETG



Snap on

GR230A

50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR230A	50ml	140.0	112.0	86.5	35.4	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶
Material/材质	PP	PP	PP	PETG

Collar Option.
肩套选项

GR234A
Straight Shoulder

GR234B
Curved Shoulder

Metal

Shiny Brushed



GR234A/B

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR234A/B	15ml	103.7	71.0	49.3	28.1	0.20ml
	30ml	116.1	83.7	59.7	35.1	
	50ml	142.7	110.3	86.3	35.1	

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶
Material/材质	PP&Metal	PP&Metal	Metal	PETG&Metal

AIRLESS BOTTLE

PETG

GR233A GR233B GR233C GR233G

GR233A/B/C/G

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR233A	15ml	108.2	77	53.8	26.4	0.20ml
	30ml	119.1	88.5	64.4	31.4	
	50ml	149.6	119	94.9	33.1	
GR233B	15ml	113.3	74.4	35.2	27.2	
	30ml	125.0	87.2	47.1	32.4	
	50ml	154.0	116.1	79.0	33.9	
GR233C	30ml	119.1	88.5	64.4	31.4	
	50ml	149.6	119	94.9	33.1	
GR233G	30ml(Bottle A)	120.4	88.5	64.4	31.4	
	30ml(Bottle B)	119.1	87.2	47.1	31.4	



Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶	Base/底座
Material/材质	PETG	PP&Metal	PP&Metal(GR233A) ABS&PP(GR233B/C) PP(GR233G)	PETG	ABS



GR236A

18ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR236A	18ml	101.8	73.55	37.7	26.9	0.20ml

Part/部件	Cap/外罩	Inner Actuator/内头帽	Bottle/瓶	Base/底座
Material/材质	AS	PP	PP	Metal

PETG PET PET PCR
GR237A

PP / PP PCR
GR237B

GR237A/B

30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR237A	30ml	99.1	75.0	40.5	39.3	0.20ml
	50ml	111.8	86.7	49.0	44.6	
GR237B	50ml	111.8	86.7	49.0	44.6	0.20ml



Part/部件(GR237A)	Cap/外罩	Actuator/头帽	Bottle/瓶	Base/底座
Material/材质	PETG/PET/PET PCR	PETG/PET/PET PCR	PETG/PET/PET PCR	PETG/PET/PET PCR

Part/部件(GR237B)	Cap/外罩	Actuator/头帽	Bottle/瓶	Base/底座
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

AIRLESS BOTTLE

Top View / 顶视图

Oval Shape

PETG

GR238A

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR238A	15ml	86.7	56.3	19.0	38.3x27.3	0.20ml
	30ml	114.7	84.3	47.0		
	50ml	152.7	122.3	85.0		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	PETG	PP	PP	PETG	PETG

Nozzle Insert
内塞

PETG

GR241A

50ml, 100ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR241A	50ml	100.3	70.6	46.3	45	0.20ml
	100ml	143.1	113.4	89.1		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Outer Bottle/外瓶	Base/底座
Material/材质	PETG	PP	PP	PETG	PETG

Refillable
内瓶可替换

PETG

GR240A

30ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR240A	30ml	139.5	108	90	38.5	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PETG	PP&Metal	PETG	PP

NEW

GR242A

15ml, 30ml, 50ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR242A	15ml	85.5	54.7	27.0	40.5	0.20ml
	30ml	102.3	71.5	43.5		
	50ml	124.3	93.5	66.0		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶	Base/底座
Material/材质	PETG	PP	PP	PET	PETG

AIRLESS BOTTLE

How to use.
使用方法

PP / PP PCR

GR243A

100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR243A	100ml	186	182	121	45.3	–

Part/部件	Flip Cap/翻盖	Elastomer/弹性体	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/PP PCR	TPR/PP/PP PCR	PP/PP PCR	PP/PP PCR

Refillable
内瓶可替换

PP / PP PCR



GR247A

10ml, 15ml, 30ml, 40ml, 50ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR247A	10ml	93.8	69	73.8	26.3	0.20ml
	15ml	84.6	59.8	64.6	35.2	
	30ml	113.3	88.5	91.3	35.2	
	40ml	132.3	107.5	110.3	35.2	
	50ml	151	126.2	129	35.2	
	100ml	167	142.2	143.1	42.9	

Part/部件	Actuator/头帽	Outer Bottle/外瓶	Inner Bottle/内瓶	Base/底座
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

NEW

PET PETG PS

Refillable
内瓶可替换



GR246A

20ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR246A	20ml	110.4	65.9	43.4	40.0	0.20ml
	30ml	131.5	87.0	64.5	40.0	
	50ml	161.1	131.0	108.5	40.0	

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PETG/PET	PP	PP	PETG/PET/PS	PP



GR303A

110ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR303A	110ml	189	151.5	113	47.6	0.20ml

Part/部件	Cap/外罩	Nameplate/铭牌	Actuator/头帽	Collar/中套
Material/材质	PETG	Metal	PP	ABS

Part/部件	Closure/大圈	Outer Bottle/外瓶	Inner Bottle/内瓶	Base/底座
Material/材质	PP	PMMA	PET	ABS

AIRLESS BOTTLE

GR305A

Environmentally friendly design–dual refillable inner bottles, all made of PETG materials except pump engine and it's easy to recycle. Two kinds of liquids are packed separately and are easy to carry. Left and right rotation lifting structure.

How to use. / 使用方法

PETG

Authorized Patent 专利已授权

GR305A

15mlx2, 30mlx2



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(∅) 直径(∅)	Dosage 喷量
GR305A	15mlx2 30mlx2	89.1 122.6	56.5 90.0	53.7 87.2	50.0	0.20ml

Part/部件	Cap/外罩	Outer Bottle/外瓶	Inner Bottle/内瓶	Base/底座
Material/材质	PP	PETG	PETG	PETG

GR306A

Two kinds of liquids are packed separately and are easy to carry. Left and right rotation lifting structure.

How to use. / 使用方法

Authorized Patent 专利已授权

GR306A

15mlx2, 30mlx2



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(∅) 直径(∅)	Dosage 喷量
GR306A	15mlx2 30mlx2	102.6 140.6	62.0 100.0	49.5 87.5	44.8	0.20ml

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	ABS	PP	ABS	AS	PETG

AIRLESS BOTTLE

Actuator Option.
头帽选项

GR501A/B
GR502A/B

15ml, 20ml, 25ml, 30ml

40ml, 50ml, 60ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR501A/B	15ml/20ml 25ml/30ml	88.9/104.3 119.5/135.3	62.5/77.9 93.3/108.9	36.0/57.0 62.0/75.5	23.9	Lotion: 0.20ml Spray: 0.13ml
GR502A/B	40ml 50ml 60ml	117.0 134.0 151.4	87.6 104.7 122.2	56.0 73.0 90.0	30.4	

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

PP / PP PCR

GR506A

15ml, 30ml



Snap on

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR506A	15ml 30ml	104.7 144.6	77.2 117.1	45 92.5	24.5	0.13ml

Part/部件	Cap/外罩	Actuator/头帽	Pump/连接盖	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Actuator Option.
头帽选项

GR601A

GR601B

GR601C

GR601A/B/C

50ml, 80ml, 100ml, 120ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR601A/C	50ml 80ml 100ml 120ml	110.1 137.3 174.4 174.4	81.2 108.4 145.5 145.5	57.9 85.1 122.2 122.2	48.6	1.00ml
GR601B	50ml 80ml 100ml 120ml	118.8 145.3 182.4 182.4	81.2 108.4 145.5 145.5	57.9 85.1 122.2 122.2	48.6	1.00ml

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/AS	PP	PP	ABS	AS	PP

PP / PP PCR

GR602A

150ml, 200ml, 250ml



Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR602A	150ml 200ml 250ml	152.3 177.1 202.1	110.3 135.1 160.1	73.0 97.0 120.0	55.4	1.00ml/2.00ml

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

AIRLESS BOTTLE

PP / PP PCR

Authorized Patent 专利已授权

Cap: ABS

Nozzle Insert / 内塞

GR605K

Nozzle Cover / 嘴套

GR605H

Actuator Option. /头帽选项

GR605A Authorized Patent 专利已授权 | GR605B | GR605C | GR605D | GR605E Authorized Patent 专利已授权 | GR605H | GR605J | GR605K | GR605L | GR605M

Bi-injection

50ml, 100ml

All Plastic

Authorized Patent 专利已授权

GR605A/B/C/D/E/H/J/K/L/M

30ml, 50ml, 80ml, 100ml, 120ml, 150ml, 200ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR605A/B/C	30ml	81.6	43.9	35.5	49	1.00/0.50ml
	50ml	96.15	58.4	50		
	80ml(New)	119.8	82	73.6		
	100ml	129.65	91.9	83.5		
	120ml	144.2	106.4	96		
	150ml	162.75	125	116.6		
	200ml	196.2	158.5	150		
GR605D/E/M	30ml	83.5	43.9	35.5		
	50ml	98.1	58.4	50		
	80ml(New)	124.7	82	73.6		
	100ml	131.6	91.9	83.5		
	120ml	146.1	106.4	96		
	150ml	164.7	125	116.6		
	200ml	198.1	158.5	150		
GR605H	30ml	85.35	43.9	35.5		
	50ml	99.85	58.4	50		
	80ml(New)	123.45	82	73.6		
	100ml	133.35	91.9	83.5		
	120ml	147.85	106.4	96		
	150ml	166.45	125	116.6		
	200ml	199.95	158.5	150		
GR605J	30ml	42.5	43.9	35.5		
	50ml	96.5	58.4	50		
	80ml	120.1	82	73.6		
	100ml	139.5	91.9	83.5		
	120ml	144.5	106.4	96		
	150ml	162.5	125	116.6		
	200ml	196.6	158.5	150		
GR605K	30ml	86.3	43.9	35.5		
	50ml	100.8	58.4	50		
	80ml	124.4	82	73.6		
	100ml	134.3	91.9	83.5		
	120ml	148.8	106.4	96		
	150ml	167.4	125	116.6		
	200ml	200.9	158.5	150		
GR605L	30ml	74.25	43.9	35.5		
	50ml	88.75	58.4	50		
	80ml	112.35	82	73.6		
	100ml	122.25	91.9	83.5		
	120ml	137	106.4	96		
	150ml	155.35	125	116.6		
	200ml	188.85	158.5	150		



Snap on

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

AIRLESS BOTTLE

PP / PP PCR



Snap on

GR606A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR606A	15ml	77.1	46.6	38.1	35.5	0.20ml
	30ml	98.3	68.55	56.3		
	50ml	124.8	94.3	85.8		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Actuator Option.
头帽选项

GR607A

GR607B

PP / PP PCR



Snap on

GR607A/B

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR607A/B	15ml	77.9	47.3	30/30x42	43.7x43.7	0.20ml
	30ml	98.6	68	30/30x63		
	50ml	127	96.4	30/30x91		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Actuator Option.
头帽选项

Spray

Lotion

PP / PP PCR



Snap on

GR608A

30ml, 50ml, 75ml, 100ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR608A	30ml	93.8	58.9	46.7	37.0	0.20ml
	50ml	118	83.1	70.9		
	75ml	148	113.1	100.9		
	100ml	170	135.1	122.9		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

PP / PP PCR



Snap on

GR609A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR609A	15ml	79.5	51.6	40	30.0	0.20ml
	30ml	109.5	81.6	70		
	50ml	146.5	118.6	100		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

AIRLESS BOTTLE

Actuator Option.
头帽选项

GR610A

GR610B

PP / PP PCR



GR610A/B

50ml, 75ml, 120ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR610A/B	50ml	115.0	82.0	60.4	41.0	1.00ml
	75ml	138.2	105.2	83.7		
	120ml	180.1	147.0	125.6		

Part/部件	Cap/外罩	Actuator/头帽	Shoulder/肩套	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

Top View / 顶视图

Oval Shape

PP / PP PCR

Authorized Patent 专利已授权



GR611A

50ml, 80ml, 100ml, 120ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR611A	50ml	100.0	66.8	43.9	54.05x40.65	1.00/0.50ml
	80ml(New)	118.5	83.9	59.9		
	100ml(New)	132.3	97.7	73.7		
	120ml(New)	144.2	109.6	85.6		

Part/部件	Cap/外罩	Actuator/头帽	Closure/大圈	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

SYRINGE AIRLESS

GOLDRAIN

Actuator Option. /头帽选项

GR239A

GR239B

GR239C

How to use. / 使用方法

Refillable 内瓶可替换

PETG



GR239A/B/C

5ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR239A/B/C	5ml	105	65.7	32.0	27.6x19.2	0.10ml

Part/部件	Cap/外罩	Actuator/头帽	Piston/活塞	Closure/大圈	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PETG	A:MVQ B:Stainless steel C:Kirsite	LDPE	PP	PETG	PP

PP / PP PCR



GR902A

10ml

Item	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR902A	10ml	152.2	113	70.0	25.6	0.10ml

Part/部件	Cap/外罩	Nozzle/平头	Outer Bottle/外瓶	Inner Bottle/内瓶	Bottom/按钮
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

DROPPER BOTTLE

PETG

GR901A

20ml, 30ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR901A	20ml 30ml	92.5 116.2	70.3 94.0	27 57	33.4	0.40ml

Part/部件	Actuator/头帽	Closure/大圈	Shoulder/肩套	Tube/管	Bottle/瓶
Material/材质	PP	PP&Metal	PETG	PETG	PETG

Twist Lock Option./扭锁选项

Without Twist Lock

With Twist Lock & Auto Filling

GR903A GR903B GR903C

GR903A/B/C

15ml, 30ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR903A	15ml 30ml	85.0 116.9	59.7 91.6	37.0 69.0	27.3	0.30ml
GR903B	15ml 30ml	85.0 116.9	59.7 91.6	37.0 69.0	27.3	0.30ml
GR903C	15ml 30ml	82.6 113.9	57.3 89.0	35.0 66.7	27.3	0.30ml

Part/部件	Actuator/头帽	Closure/大圈	Tube/管	Bottle/瓶
Material/材质	ABS	PP&ABS	PETG	PETG&Metal

TONER BOTTLE

NEW

PET

Nozzle Insert/内塞

GR913A

80ml, 100ml, 120ml, 150ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR913A	80ml 100ml 120ml 150ml	106.4 122.4 138.0 163.4	87.0 103.0 110.0 144.0	60.0 76.0 92.0 117.0	42.0

Part/部件	Cap/外罩	Cap/内盖	Bottle/瓶
Material/材质	ABS	PP	PET

SUN CARE BOTTLE

PP / PP PCR



GR912A/B/C

30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR912A	30ml 50ml	79.5 103.5	69.0 93.0	42.0 66.0	40.0x28.7	-
GR912B/C	30ml 50ml	77.0 101.5	67.0 91.4	40.0 64.0	34.0	-

Part/部件	Top Cap/顶片	Cap/外罩	Insert/塞子	Bottle/瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR	PP/PP PCR

JINYU | GOLDRAIN

Airless Pump Series

For Tube

AIRLESS PUMP

AGR 301001(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301002(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301003(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301004(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301005(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301017(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301018(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301019(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301020(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301021(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301006(A/L)
Specification:Ø18/400
Dosage:0.20±0.03ml/T

AGR 301008(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301009(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301010(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301011(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301022(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301023(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301024(A/L)
Specification:Ø16/410
Dosage:0.20±0.03ml/T

AGR 301026(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301027(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301012(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301013(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301014(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301015(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301016(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301028(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301029(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301030(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301032(A/L)
Specification:Ø16/410
Dosage:0.10±0.02ml/T
Private Mould Patented

AGR 301033(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T
Private Mould Patented

AIRLESS PUMP

AGR 301035(A/L)
Specification:Ø20/415
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301043(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301046(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301047(A/L)
Specification:Ø18/400
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301048(A/L)
Specification:Ø16/410
Dosage:0.10±0.02ml/T
Private Mould Patented

AGR 301051(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T
Private Mould Patented

AGR 301052(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301053(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T

AGR 301054(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T

AGR 301055(A/L)
Specification:Ø24/410
Dosage:0.20±0.03ml/T

AGR 301056(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301057(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301058(A/L)
Specification:Ø20/410
Dosage:0.20±0.03ml/T

AGR 301059(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

AGR 301060(A/L)
Specification:Ø18/410
Dosage:0.20±0.03ml/T

JINYU | GOLDRAIN

Cream Jar Series

Repeated filling, environmentally friendly jar.
Effective reduction of packaging waste.
Effective reduction of environmental damage caused by packaging waste.

CREAM JAR

[Refillable
内瓶可替换]

GR704A

GR704B
Refillable
内瓶可替换

GR704A/B

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR704A	15ml	39.4	32.0	13.7	55.5
	30ml	43.4	36.1	16.4	62.7
	50ml	51.3	43.3	21.7	70.5
GR704B	50ml	51.3	43.3	21.7	70.5

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	PMMA	ABS	PMMA	PP	PE

PP / PP PCR

GR706A

120ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR706A	120ml	56.6	53.2	30.0	77.3 74.2 67.6

Part/部件	Cap/外盖	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR

GR705A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR705A	15ml	38.7	33.6	10.7	53.4x53.4
	30ml	42.4	36.4	13.2	58.4x58.4
	50ml	48.6	42.1	16.7	66.5x66.5

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	ABS	ABS	PMMA	PP	PE

GR708A

5ml, 10ml, 15ml, 30ml, 50ml, 150ml, 450ml



Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR708A	5ml/10ml	25.6/30.9	23.8/29.1	8/13.5	35.2
	15ml/30ml	29.1/42.1	27.3/40.3	12/27.5	44.8
	50ml	47.1	45.3	30	55.7
	150ml	60.0	57.9	42	73.4
	450ml	97.3	95.3	70	92.5

Part/部件	Cap/外盖	Bottle/瓶
Material/材质	PP	PS

CREAM JAR

Actuator Option. /头帽选项

GR707A Authorized Patent 专利已授权 | GR707B Authorized Patent 专利已授权 | GR707C | GR707D



GR707A



GR707B
GR707C



GR707D

GR707A/B/C/D

15ml, 30ml, 50ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Dosage 喷量
GR707A	15ml	58.6	37.1	22	56.5	0.52ml
	30ml	69.9	48.4	36	56.5	
	50ml	77.1	54.6	39	64	
	100ml	104.15	81.85	61.8	64	
GR707B/C	15ml	65.9	37.1	22	56.5	0.52ml
	30ml	77.2	48.4	36	56.5	
	50ml	83.75	54.6	39	64	
	100ml	110.75	81.85	61.8	64	
GR707D	15ml	61.1	37.1	22	56.5	0.52ml
	30ml	71.4	48.4	36	56.5	
	50ml	79.7	54.6	39	64	
	100ml	81.9	81.85	61.8	64	

Part/部件	Cap/外盖	Actuator/头帽	Shoulder/肩套	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	AS	PP	ABS	PMMA(15ml, 30ml, 50ml) MS(100ml)	PP

GR708B Cap:ABS | GR708C Cap:AL

GR708B

30ml, 50ml,100ml, 150ml, 200ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR708B	30ml/50ml	34.6/48.2	31.7/45.3	10.5/24.0	56.5
	100ml	47.6	43.7	23.0	74.1
	150ml/200ml	47.6/58.0	45.1/55.5	21.8/32.2	87.0

Part/部件	Cap/外盖	Bottle/瓶
Material/材质	ABS	PETG

GR708C

30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR708C	30ml	36.6	31.7	10.5	56.5
	50ml	50.1	45.3	24.0	56.5

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Bottle/瓶
Material/材质	Metal	PP	PETG

CREAM JAR

GR708D

150ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR708D	150ml	41.2	38.4	19.9	87.3

Part/部件	Cap/外盖	Bottle/瓶
Material/材质	ABS	PET

GR711A

15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR711A	15ml	38.7	31.3	16	57.4
	30ml	42.2	34.9	19	61.9
	50ml	49.3	41.8	24	68.4

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	PMMA	ABS	PMMA	PP	PE

GR710A

3ml, 5ml, 15ml, 30ml, 50ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR710A	3ml/5ml	23.9	22.3	20/23x8	33x35
	15ml	39.6	32.6	34/34x10	63x68
	30ml	47.6	40.6	34/34x16	63x68
	50ml	51.1	44.1	37/39x20	69x74

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	PMMA	PP	PMMA	PP	PE

GR712A

3ml, 5ml, 15ml, 30ml, 50ml, 100ml, 200ml

Item 型 号	Capacity 容 量	Height(A) 高 度(A)	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR712A	3ml/5ml	25	23.4	11	32.9
	15ml/30ml	39.6/47.6	32.6/40.6	15/23	61.8
	50ml	51.6	44.6	26	71
	100ml/200ml	59.6/88	50.7/79.1	28/55	91.5



Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	PMMA	PP	PMMA	PP	PE

GR713A

3ml, 10ml, 15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR713A	3ml	28.5	22.0	5.0	33.2
	10ml	35.1	27.4	9.0	46.1
	15ml	38.2	30.6	10.3	51.8
	30ml	45.7	36.4	16.3	64.3
	50ml	51.4	41.4	21.3	70.3



Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	PMMA	ABS	PMMA	PP	PE

GR717A

15ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR717A	15ml	40.3	32.4	12.1	43.4
	50ml	54.0	45.2	20.4	59.8

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	Metal	PP	Metal	PP

GR716A

30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR716A	30ml	47.2	37.5	12.0	58.2
	50ml	54.0	44.2	14.5	68.0

Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片
Material/材质	ABS	PP	MS	PP	PE

GR726A

30ml, 50ml, 100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR726A	30ml	39.4	35.8	17.6	53
	50ml	44.9	36.8	22.6	59.5
	100ml	53.6	49.5	26	72.1

Part/部件	Cap/外盖	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR

PP / PP PCR

Bi-injection/双色注塑

GR721A/B/C/D

GR721A

7ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR721A	7ml	20.8	18.1	5.4	37.76

Part/部件	Cap/外盖	Bottle/瓶	Lid/盖片
Material/材质	PP/PP PCR	PP/PP PCR	LDPE

PP / PP PCR

GR721C

50ml, 100ml, 200ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR721C	50ml	40.2	37	15	64.4
	100ml	48.2	44.7	21.6	73.1
	200ml	67	63.6	37.1	85.2

Part/部件	Cap/外盖	Bottle/瓶	Lid/盖片
Material/材质	PP/PP PCR	PP/PP PCR	LDPE

PP / PP PCR

GR721B

100ml, 150ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR721B	100ml	47.7	44.7	21.6	73.1
	150ml	54.8	51.7	27.7	85.2

Part/部件	Cap/外盖	Bottle/瓶	Lid/盖片
Material/材质	PP/PP PCR	PP/PP PCR	LDPE

PP / PP PCR

GR721D

100ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR721D	100ml	52.8	44.7	21.6	73.1

Part/部件	Cap/外盖	Bottle/瓶	Lid/盖片
Material/材质	PP/PP PCR	PP/PP PCR	LDPE

CREAM JAR

Top View / 顶视图

Oval Shape

GR729A

15ml, 30ml, 50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR729A	15ml	36.5	31.1	8	54.0x46.5
	30ml	44.8	38.1	14	64.7x55.5
	50ml	51.6	44.0	18	74.2x63.6



Part/部件	Outer Cap/外盖	Inner Cap/内盖	Outer Bottle/外瓶	Inner Bottle/内瓶	Lid/盖片	Base/底座
Material/材质	ABS	PP	PETG	PP	PE	ABS

PP / PP PCR

GR730A

50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR730A	50ml	49.5	41.8	18	58.4

Part/部件	Cap/外盖	Outer Bottle/外瓶	Inner Bottle/内瓶
Material/材质	PP/PP PCR	PP/PP PCR	PP/PP PCR

NEW

GLASS

GR731A

50ml

Item 型号	Capacity 容量	Height(A) 高度(A)	Height(B) 高度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)
GR731A	50ml	47.3	42.1	18.3	71.7

Part/部件	Outer Bottle/外瓶	Cap/外盖	Lid/盖片	Inner Bottle/内瓶
Material/材质	GLASS	PP	PP	PP

JINYU | GOLDRAIN

Perfume Sprayer Series

Aluminium Oxide

JY802

Discharge Rate: 0.08–0.10ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5

JY802-A01

JY802-A02

A01

A02

Closure Option.

Ø15/400 Ø18/400 Ø20/400

Clip Option.

JY805

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5

JY805-A03

JY805-A04

A03

A04

Closure Option.

Ø15/400 Ø18/400 Ø20/400

Ø24/410

JY807

Discharge Rate: 0.085±0.02ml/T

Qty/Ctn:2500-3000 Meas(cm):50x37x16

CN201821728657.X

JY807

Closure Option.

FEA15

JY808

Discharge Rate: 0.1±0.01ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5

JY808-A01 JY808-A02



A01 A02

Insert Orifice Diameter Option.

Ø0.2mm
Ultrafine Sprayer

Cap Option. NEW

K01
For Ø15/400 closure only

Closure Option.

Ø15/400 Ø18/400 Ø20/400 Ø17/415 Ø20/410 Ø24/410

Clip Option.

Collar Option.

Size according to customer

16A3 16A4 16A5 16A6 16A7 16B1 16B6 16B7 16B8

JY809

Discharge Rate: 0.08±0.01ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5

JY809-A01

A01

Closure Option.

Ø15/400 Ø20/400

PERFUME SPRAYER

Crimpless

JY811

Discharge Rate: 0.07±0.01ml/T, 0.1±0.01ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5



NEW

JY811-A01

Actuator Option.

D01 D02 D03 F01

Closure Option.

Ø15/400 16A6-15 Ø13/400 16A7-13

Tube Option.

0.07±0.01ml/T B01 0.1±0.01ml/T B02

Collar Option.

16B1 16B2 16B6 16B5 16B7

Rib Option. Rib size can be customized

JY812

Discharge Rate: 0.05±0.01ml/T

Qty/Ctn:2000 Meas(cm):40x31.5x26.5

JY812-A01

A01

Closure Option.

Ø13/400

JINYU | GOLDRAIN

Mist Sprayer

Series

Ultrafine Sprayer

MIST SPRAYER

POM Free

JY601–03

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:2000~2500 Meas(cm):57x33x39

Ø18/405 Ribbed JY601-03A | Ø18/405 Smooth JY601-03B | Ø18/410 Ribbed JY601-03C | Ø18/410 Secured Actuator JY601-03D | Ø18/410 Rachet Closure JY601-03E | Ø18/415-1 Ribbed JY601-03F

Ø18/415 Smooth JY601-03H | Ø18/415 Flat Full Cap JY601-03I | Ø18/415 Round Full Cap JY601-03J | Ø18/410 Alu. JY601-03K | Ø18/415 Alu. JY601-03L | Ø18/415 Alu. JY601-03N

Ø18/410 Alu. JY601-03P | Ø18/415 Alu. JY601-03Q

Metal Shell Option.

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

POM Free

JY601–05

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1800 Meas(cm):57x33x39

Ø20/410 Ribbed JY601-05B | Ø20/410 Smooth JY601-05C | Ø20/415 Ribbed JY601-05D | Ø20/415 Smooth JY601-05E | Alu. Private Mould Patented JY601-05F

Ø20/410 Alu. JY601-05G | Ø20/410 Ribbed Alu. JY601-05H | Ø20/410 Alu. JY601-05J

Metal Shell Option.



Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

POM Free

JY601–06

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1500~1600 Meas(cm):57x33x39

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

Ø22/408 Ribbed JY601-06A | Ø22/415 Ribbed JY601-06B | Ø22/415 Alu. JY601-06C | Ø22/415 Alu. JY601-06D

MIST SPRAYER

POM Free

JY601–07

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1300~1500 Meas(cm):57x33x39

Metal Shell Option.

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

Ø24/410 Ribbed
JY601-07A

Ø24/410 Smooth
JY601-07B

Ø24/410 Ribbed
Full PP Cap
JY601-07C

Private Mould Patented
Ø24/410 Smooth
Full AS Cap
JY601-07D

Ø24/415 Ribbed
JY601-07E

Ø24/415 Smooth
JY601-07F

Ø24/410
JY601-07H

Ø24/415
JY601-07J

Ø24/410 Alu.
JY601-07K

Ø24/415
JY601-07L

Ø24/410 Rachet Closure
JY601-07M

POM Free

JY601–08

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1200 Meas(cm):57x33x39

Ø28/410 Ribbed
Screw pitch:3.175mm
JY601-08A

Ø28/23 Ribbed
JY601-08B

Ø28/400 Ribbed
JY601-08C

Ø28/410 Ribbed
Screw pitch:4.23mm
JY601-08D

Ø28/410 Alu.
Screw pitch:3.175mm
JY601-08E

Ø28/410 Alu.
Screw pitch:4.23mm
JY601-08F

POM Free

JY601–08

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1200 Meas(cm):57x33x39

Ø28/410 Alu.
Screw pitch:3.175mm
JY601-08G

Ø28/410 Alu.
Screw pitch:4.2mm
JY601-08H

Plating Option.

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

Nasal Sprayer & Oral Sprayer (POM Free)

JY601–09/10/11/19

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1500~2000, 1500~2500 (JY601-09)
Meas(cm):57x33x39

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer

JY601-09

JY601-10

Cap Available
for Closure 20mm
JY601-10

for Closure 18mm
JY601-11

for Closure 20&24mm
JY601-11

for Closure 18mm
JY601-19

Closure Option.

Ø18/405 1#
Ø18/410 2#
Ø18/410 Rachet Closure 3#
Ø18/415 4#
Ø20/410 5#
Ø24/410 6#
Ø24/410 Rachet Closure 7#
Ø15/400 8#
Ø20/400 9#
Ø24/410 Screw ferrule 10#

High Viscosity Mist Sprayer

JY602 Discharge Rate: 0.7±0.1ml/T
Qty/Ctn:800~1000 Meas(cm):57x33x39

JY602

High Viscosity Mist Sprayer

JY603 Discharge Rate: 0.3±0.05ml/T
Qty/Ctn:800~1000 Meas(cm):57x33x39

JY603

Closure Option.



Ø24/410 Ribbed 1# | Ø24/415 Ribbed 2# | Ø28/400 Ribbed 3# | Ø28/410 Ribbed 4# | Ø28/23 Ribbed 5# | Ø28/415 Ribbed 6# | Ø24/410 Smooth 7# | Ø24/415 Smooth 8# | Ø28/400 Smooth 9# | Ø28/410 Smooth 10#

Oil and Hair Gel Pump (Spring Outside)

JY605 Discharge Rate: 0.5±0.05ml/T
Qty/Ctn:800~1000 Meas(cm):57x33x39

JY605

Closure Option.

Ø24/400 Smooth 1# | Ø24/410 Ribbed 2# | Ø28/400 Ribbed 3# | Ø28/410 Ribbed 4# | Alum. only for Ø24/410

Insert Orifice Diameter Option.

Ø0.35mm Normal Sprayer | Ø0.5mm Oil Sprayer

Spray Angle

60°~ 90°

JY608 Discharge Rate: 0.17±0.02ml/T
Qty/Ctn:1500~1800 Meas(cm):57x33x39

JY608

Inverted valve
倒置阀

Closure Option.

Ø20/410 Smooth 1# | Ø20/410 Ribbed 2# | Ø24/410 Ribbed 3# | Ø24/410 Smooth 4# | Alum. only for Ø24/410

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer | Ø0.35mm Normal Sprayer | Ø0.45mm Oil Sprayer

MIST SPRAYER

Hair Glue Pump

JY609 Discharge Rate: 0.18±0.02ml/T

Qty/Ctn:1500~2000 Meas(cm):57x33x39

JY609

Closure Option.

Ø20/410 Ribbed 2#

Ø24/410 Ribbed 3#

Ø24/410 Smooth 4#

Metal Free Pathway Mist Sprayer Spring Outside, Prestige Fine Mist Spray

JY611 Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:1800 Meas(cm):57x33x39

JY611

Closure Option.

Ø20/410 Smooth

Insert Orifice Diameter Option.

Ø0.2mm Ultrafine Sprayer

Spray Angle

60°±15°

JINYU | GOLDRAIN

Cream Pump

Series

POM Free (Up Lock)

JY501-01

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:2400 Meas(cm):57x33x39

JY501-01

Closure Option.

POM Free (Up Lock)

JY501-02

Discharge Rate: 0.13±0.02ml/T

Qty/Ctn:2400 Meas(cm):57x33x39

JY501-02

Closure Option.

Up Lock

JY502

Discharge Rate: 0.23±0.03ml/T

Qty/Ctn:1800 Meas(cm):57x33x39

Ø18/415 Smooth
JY502-01

Ø18/400
JY502-02

Ø18/400
JY502-03

Ø18/415
JY502-04

Ø20/410
JY502-06

Ø20/410 Full Cap
JY502-07A

Ø20/410
JY502-07B

Ø24/410 Full Cap
JY502-09
Private mould patent

Up Lock

JY503

Discharge Rate: 0.5±0.1ml/T

Qty/Ctn:800 Meas(cm):57x33x39

Ø24/400 Ribbed
JY503-01A

Ø24/410 Smooth
JY503-01B

Ø24/410 Ribbed
JY503-01C

Ø24/400 Ribbed
JY503-02A

Ø24/410 Smooth
JY503-02B

Ø24/410 Ribbed
JY503-02C

Up Lock

JY505-01

Discharge Rate: 0.45±0.05ml/T

Qty/Ctn:1200, 800(Metal Shell) Meas(cm):57x33x39, 39x39x32(Metal Shell)

Ø22/400
JY505-01A

Ø22/410
JY505-01B

Ø24/400
JY505-01C

Ø24/410
JY505-01D

Ø24/410(H29.7)
JY505-01E

Ø24/410
JY505-01F

Ø24/410(H31.7)
JY505-01G

Up Lock

JY505-02

Discharge Rate: 0.45±0.05ml/T

Qty/Ctn:1200, 800(Metal Shell) Meas(cm):57x33x39, 39x39x32(Metal Shell)

Ø22/410
JY505-02A

Ø22/410
JY505-02B

Ø24/400
JY505-02C

Ø24/410
JY505-02D

Ø24/410
JY505-02E

Ø24/410
JY505-02F

Ø24/410
JY505-02G

Up Lock

JY505-03

Discharge Rate: 0.45±0.05ml/T

Qty/Ctn:1200, 800(Metal Shell) Meas(cm):57x33x39, 39x39x32(Metal Shell)

Ø22/410
JY505-03A

Ø22/410
JY505-03B

Ø24/400
JY505-03C

Ø24/410
JY505-03D

Ø24/410
JY505-03E

Up Lock

JY505-04

Discharge Rate: 0.50±0.05ml/T

Qty/Ctn:1200, 800(Metal Shell) Meas(cm):57x33x39, 39x39x32(Metal Shell)

Ø22/410
JY505-04A

Ø22/410
JY505-04B

Ø24/400
JY505-04C

Ø24/410
JY505-04D

Ø24/410
JY505-04E

Engraved Shell.

Alum.

CREAM PUMP

Up Lock

JY506

Discharge Rate: 0.5±0.1ml/T

Qty/Ctn:1200 Meas(cm):57x33x39

Ø22/400
JY506

360° Rotation

JY507

Discharge Rate: 0.45±0.05ml/T

Qty/Ctn:800(JY507-01),600(JY507-02) Meas(cm):59x38x32(JY507-01),39x39x32(JY507-02)

Ø22/410
JY507-01

Ø24/410
JY507-02A

NEW

Ø20/410
JY507-02B

NEW

Ø24/410
JY507-03A

NEW

Ø24/410
JY507-03B

JINYU | GOLDRAIN

Foam Pump

Series

JY201

Discharge Rate: 0.40ml/T
Qty/Ctn:700 Meas(cm):57x33x39

Plating Option.

∅30/410
JY201-01

JY202

Discharge Rate: 0.85±0.10ml/T
Qty/Ctn:450 Meas(cm):57x33x39

∅40/400
JY202-01

JY203

Discharge Rate: 0.85±0.10ml/T
Qty/Ctn:320 Meas(cm):57x33x39

Plating Option.

∅43/400
JY203-01

JY206

Discharge Rate: 0.80±0.10ml/T, 1.50±0.10ml/T
Qty/Ctn:450 Meas(cm):57x33x39

∅40/410
JY206-02
0.80±0.10ml/T

∅40/410
JY206-02
1.50±0.10ml/T

∅43/400
JY206-03
0.80±0.10ml/T

JINYU | GOLDRAIN

Lotion Pump

Series

Various Colors &
Aluminium Oxide

Lotion Pump

Lotion Pump (Down Lock)

JY301

Discharge Rate: 4.0ml/T, 8.0ml/T

Qty/Ctn:500 Meas(cm):57x33x39

JY301-01

JY301-02

Closure Option.



Ø28/400 1"
Ø28/410 2"
Ø38/400 3"
Ø38/410 4"

Ø88/400 Smooth
6" for 4ml only

Tube Option.

8ml

4ml

Lotion Pump (Up Lock)

JY303

Discharge Rate: 2.0ml/T

Qty/Ctn:700~750 Meas(cm):57x33x39

PAT.NO.200730115850.7

JY303-02

JY303-05
Private Mould Patented

Actuator Option.

01
02
03
05
Private Mould Patented

Closure Option.

Ø28/410 Ribbde 1"
Ø28/400 Matte 2"
Private Mould Patented
Ø28/400 Matte 3"
Ø28/410 Smooth 3"

Ø28/415 Smooth 4"

Lotion Pump (Up Lock)

JY302

Discharge Rate: 2.0ml/T

Qty/Ctn:800~1000 Meas(cm):57x33x39

PAT.NO.200720110420.0
PAT.NO.200710069126.4

(Spring Outside)

JY302-01

Actuator Option.

01
02
PAT.NO.ZL200730115856.4
03
04
05
06
Private Mould Patented

Closure Option.

Ø24/410 Ribbde 1"
Ø24/415 Ribbde 2"
Ø28/400 Ribbde 3"
Ø28/410 Ribbde 4"

Ø24/410 Smooth 5"
Ø24/415 Smooth 6"
Ø28/400 Smooth 7"
Ø28/410 Smooth 8"

Metal Shell Option.

Ø24/410
Ø28/410

Clip Option.

A
For JY302-05 only B
PAT.NO.200830176445.0

Lotion Pump (Down Lock)

JY310

Discharge Rate: 3.5ml/T, 5.0ml/T

Qty/Ctn:500 Meas(cm):57x33x39

JY310-10

Actuator Option.

01
02
03
05
06
08

10
15
16
20

Closure Option.

Ø28/410 Ribbed 1"
Ø33/410 Ribbed 2"
Ø28/410 Smooth 3"

Metal Shell Option.

Ø28/410
Ø33/410

Chaplet Option.

Standard Chaplet
Big Chaplet

Lotion Pump (Down Lock)

JY308

Discharge Rate: 1.2±0.2ml/T

Qty/Ctn:800~1000 Meas(cm):57x33x39

JY308-01

Lotion Pump (Down Lock)

JY311

Discharge Rate: 2.0–2.2ml/T

Qty/Ctn:750~1000, 500(for Metal Shell) Meas(cm):57x33x39, 39x39x32(for Metal Shell)

PAT.NO.ZL201630287884.3

Tube Option.

Standard Tube Big Tube

JY311-05

Lotion Pump (Down Lock)

JY331

Discharge Rate: 0.5±0.05ml/T

Qty/Ctn:800~1000 Meas(cm):57x33x39

JY331-06

Shard Option

Actuator Option.

Closure Option.

Plating Option.

Chaplet Option.

Standard Chaplet Big Chaplet

Metal Shell Option.



Ø24/410 Ø28/410

Lotion Pump (Up Lock, Clockwise / Counterclockwise)

JY312

Discharge Rate: 1.2±0.25ml/T

Qty/Ctn:750~1000, 500(Metal Shell and JY312B-01) Meas(cm):57x33x39, 39x39x32(Metal Shell and JY312B-01)

JY312-01

Clockwise

Actuator Option.

01 02 03 04 05 06 07

08 10 11 14 15 16 17

PAT.NO.201030154052.7 PAT.NO.201030154053.1

19 21 28

Closure Option.

Ø24/410 Ribbed 1#
Ø24/415 Ribbed 2#
Ø28/400-1 Ribbed 3#
Ø28/400-2 Ribbed 4#
Ø28/410 Ribbed 5#
Ø28/415 Ribbed 6#
Ø24/410 Smooth 7#
Ø24/415 Smooth 8#
Ø28/400 Smooth 9#
Ø28/410 Smooth 10#
Ø28/415 Smooth 11#

Plating Option.

Metal Shell Option.

Ø24/410

Ø28/410

Hot Stamping Option.

Alum Screw Closure Option.

Clip Option.

For JY312-1 only A
For All JY312 B

PAT.NO.200830176445.0

JY312-29

Counterclockwise

Actuator Option.

03 28 29

For Ø33/410 only

Closure Option.

Ø24/410 Ribbed 1#
Ø28/410 Ribbed 2#
Ø24/410 Smooth 4#
Ø28/410 Smooth 5#
Ø33/410 Ribbed 3# For JY312-29 only

Metal Shell Option.

Ø33/410 For JY312-29 only

Lotion Pump (Down Lock)

JY315/JY327

Discharge Rate: 1.9±0.3ml/T

Qty/Ctn:750~900, 500(Metal Shell)
Meas(cm):57x33x39, 39x39x32(Metal Shell)

JY315-16

JY327-01

Metal Shell Option.



Ø24/410 Ø28/410

Plating Option.

Actuator Option.

01 02 03 04 05 06 07 08 09

11 12 13 14 15 16 17 18 20

21 Lotion
21A Spray For JY315 only
21B Lotion For JY315 only
21C Spray For JY315 only
22 23

24 25 26 27 28 29 32 33

35 36 37 40 NEW

Closure Option.

Ø24/410 Ribbed 1#
Ø24/415 Ribbed 2#
Ø28/400 Ribbed 3#
Ø28/410 Ribbed 4#
Ø28/23 Ribbed 5#
Ø28/415 Ribbed 6#
Rachet Closure Ribbed 7#
Rachet Closure Ribbed 8#
Ø24/410 Smooth 9#
Ø24/415 Smooth 10#
Ø28/400 Smooth 11#
Ø28/410 Smooth 12#
Ø24/410 Double wall 13#
Ø24/410 Double wall 14#
Ø24/410 Engraved 15#
Ø28/410 Engraved 16#
Ø28/400 Round Ribbed 18#
Ø33/400 Ribbed 17# For JY315 Only

Oil Pump (Clip Lock, Piston: NBR)

JY316 Discharge Rate: 1.0±0.05ml/T

Qty/Ctn:1000 Meas(cm):57x33x39

JY316-01

JY316-02

Clip Option.

Clip A

Clip B

Closure Option.

Ø24/410
Smooth 1#

Ø24/410
Smooth 2#
NEW

Lotion Pump (Down Lock)

JY317 Discharge Rate: 3.5-4.0mL/T

Qty/Ctn:500 Meas(cm):57x33x39

JY317-10

Actuator Option.

01 02 03 05 06 08

10 15 16 20

Closure Option.



Ø28/410
Ribbed 1#

Ø30/400
Ribbed 2#

Ø30/410
Ribbed 3#

Ø33/410
Ribbed 4#

Ø28/410
Smooth 5#

Metal Shell Option.



Ø28/410 Ø33/410

Oil Pump (Up Lock)

JY330 Discharge Rate: 1.0±0.10ml/T

Qty/Ctn:850~900 Meas(cm):57x33x39

JY330-01

JY330-02

NEW

Clip Option.

Clip A
For JY330-02 only

Lotion Pump (Up Lock)

JY318 Discharge Rate: 1.0±0.20ml/T, 2.0±0.20ml/T

Qty/Ctn:750~1000 Meas(cm):57x33x39

All Plastic

JY318-01

Actuator Option.

01

Closure Option.

Ø24/410
Smooth

Ø28/410
Smooth

Lotion Pump (Down Lock)

JY320

Discharge Rate: 27±2ml/T, 15±2ml/T

Qty/Ctn:200 Meas(cm):57x33x39

JY320-01

JY320-02

Clip Option.

For JY320-02 Only

Closure Option.

Ø38/400 Ø38/410 Ø43/400

Tube Option.

27±2ml/T 15±2ml/T Quantitative Tube

Lotion Pump (Down Lock)

JY325

Discharge Rate: 1.2±0.2ml/T

Qty/Ctn:1000(for JY325-01A), 600(for JY325-01B) Meas(cm):57x33x39(for JY325-01A), 39x39x32(for JY325-01B)

JY325-01A

JY325-01B

Closure Option.

Ø22/410 Ribbed 1" Ø22/410 Alu. 2"

Lotion Pump (Up Lock, Clockwise / Counterclockwise / 360° Rotation)

JY326

Discharge Rate: 2.0±0.30ml/T, 1.5±0.30ml/T

Qty/Ctn:750~1000, 500(Metal Shell) Meas(cm):57x33x39, 39x39x32(Metal Shell)

JY326-28

Clockwise Actuator Option.

01 03 06 07

08 11 14 17

360° Rotation Actuator Option.

31

For Ø24/400 only

NEW

Counterclockwise Actuator Option.

28 30

NEW

Clip Option.

For JY326-31 only

Closure Option.

Ø24/410 Ribbed 1" Ø24/415 Ribbed 2" Ø28/400-1 Ribbed 3" Ø28/400-2 Ribbed 4" Ø28/410 Ribbed 5" Ø28/415 Ribbed 6"

Ø24/400 Ribbed 7" For JY326-31 only Ø24/410 Smooth 7" Ø24/415 Smooth 8" Ø28/400 Smooth 9" Ø28/410 Smooth 10" Ø28/415 Smooth 11" Ø24/410 For JY326-31 Only

NEW

Metal Shell Option.

Ø24/410 Ø28/410 Ø24/410 For JY326-31 only

JY326-31

Hot Stamping Option.

Alum. Screw Closure Option.

Plating Option.

LOTION PUMP

Lotion Pump (Down Lock, Water Proof)

JY328 Discharge Rate: 3.0±0.30ml/T

Qty/Ctn:750~1000 Meas(cm):57x33x39

JY328-01

Actuator Option.

01 | 02 NEW | 06

Closure Option.

Ø28/410 Smooth 1"

Lotion Pump (Down Lock)

JY329 Discharge Rate: 4.0±0.40ml/T

Qty/Ctn:600 Meas(cm):57x33x39

JY329-02

Actuator Option.

02 | 03

Closure Option.

Ø30/400 Ribbed 1" | Ø33/400 Ribbed 2" | Ø33/410 Rachet Closure

Chaplet Option.

Standard Chaplet | Big Chaplet

Tube Option.

Ø30 | Ø33

JINYU | GOLDRAIN

Well Pump

Series

JY703

Discharge Rate: 0.50±0.05ml/T

Qty/Ctn:700 Meas(cm):57x33x39

Standard Closure Option.

Ø24/410 1"
Ø28/410 2"
Ø33/410 3"

JY705

Discharge Rate: 0.50±0.05ml/T

Qty/Ctn:700 Meas(cm):57x33x39

Ø33/410
JY705-02

Ø33/410
JY705-02

Actuator Option.

01
02
Rubber Insert

Standard Closure Option.

Ø33/410 1"
Ø33/410 2"

PET Bottle For Well Pump

Bottleneck Option./瓶颈选项

Ø24/410
Ø28/410
Ø33/410

100ml
150ml
200ml
300ml
400ml
500ml

Capacity 容 量	Height(B) 高 度(B)	Printing Height(C) 印刷高度(C)	Diameter(Ø) 直径(Ø)	Material 材 质	Qty/Ctn(pcs) 装箱量(pcs)	Meas(cm) 装箱尺寸(cm)
100ml	81	58	49	PET	264	57x32x35
150ml	91	67	56		216	53x36x39
200ml	104	80	59		135	57x33x44
300ml	129	103	62		135	58x33x41
400ml	140	114	68		120	57x36x44
500ml	153	126	72		84	53x33x48

JINYU | GOLDRAIN

Trigger Sprayer

Series

VARIOUS
COLORS

JY102

Discharge Rate: 0.70±0.11ml/T

Qty/Ctn:450~500 Meas(cm):57x33x39

JY102-04

PAT.NO.ZL201020049880.9
PAT.NO.ZL201030039482.4
PAT.NO.ZL201020110018.4
PAT.NO.ZL201010107097.4

Nozzle Option.

Spray/Stream | Spray/Spray A | Spray/Spray B | Foam A | Foam B | Foam C | Foam D | Rachet | Foam F NEW

Standard Closure Option.

Ø28/400 1# | Ø28/410 2# | Ø28/415 3# | Rachet Closure 4#

Special Closure Option.

Ø28/408 6# | Ø28/410 7# | Rachet Closure 8# | Ø28/410 Rachet Closure 9#

Tube Holder Option.

A | B | AB(360° Rotation)

Trigger Option.

1# | 2# | 3# | 4# | 5# | 6# | 7# | 8# For JY102-23 only

2# PAT.NO.ZL200730115849.4
4# PAT.NO.ZL200730115848.X
7# PAT.NO.ZL200830176455.4

Shroud.

JY102-01
PAT.NO.20073001158545

JY102-02

JY102-04
PAT.NO.ZL01311074.8

JY102-05
PAT.NO.200530057835.2

JY102-07
PAT.NO.ZL02314152.2

JY102-15

JY102-18

JY102-19
PAT.NO.ZL201630274579.0

JY102-20

JY102-23
PAT.NO.ZL200830286334.5

JY101

Discharge Rate: 1.20±0.10ml/T

Qty/Ctn:450~500 Meas(cm):57x33x39

PAT.NO.ZL200720111607.2
PAT.NO.ZL201020110018.4
PAT.NO.ZL201030169025.7
PAT.NO.ZL201030169029.5

Nozzle Option.

Spray/Stream Spray/Spray Foam

Trigger Options.

Two Finger Trigger 1#

Standard Closure Option.

Ø28/400 1# Ø28/410 2# Ø28/415 3# Rachet Closure 4#

360° Feature Sprayer

JY105

Discharge Rate: 1.00±0.10ml/T

Qty/Ctn:450 Meas(cm):57x33x39

JY105-04

Nozzle Option.

Spray/Stream Spray/Spray

Standard Closure Option.

Ø28/400 1# Ø28/410 2# Ø28/415 3# Rachet Closure 4#

JY106

(Mini Trigger)

Discharge Rate: 0.30±0.05ml/T

Qty/Ctn:800~900 Meas(cm):57x33x39

JY106A-01
PAT.NO.ZL201130052591.4

JY106A-03
Private Mould Patented

JY106A-05

JY106B-01

Closure Option.

Ø20/410 1# Ø24/410 2# Ø28/410 3#

JY107

Discharge Rate: 1.25±0.10ml/T

Qty/Ctn:350 Meas(cm):57x33x39

JY107-04

Private Mould Patented

JY107-04

Private Mould Patented

Nozzle Option.

Spray/Stream | Spray/Spray | Foam A | Foam C

Standard Closure Option.



Ø28/400 1# | Ø28/410 2# | Ø28/415 3# | Rachet Closure 4#

JY108

Discharge Rate: 1.00±0.10ml/T

Qty/Ctn:450~500 Meas(cm):62.5x45x42

JY108–A

Ø28/400 Ribbed

JY108–A

Ø24/410 Smooth

JY108–C

Ø28/400 Ribbed

Normal and CRC Nozzle

JY113

Discharge Rate: 1.20±0.10ml/T

Qty/Ctn:450 Meas(cm):57x33x39

JY113-01

PAT.NO.ZL200820164919.4
PAT.NO.ZL200720111607.2
PAT.NO.ZL200830176446.5

JY113-02

PAT.NO.ZL200820164919.4
PAT.NO.ZL200720111607.2

Nozzle Option.

Spray/Stream CRC | Spray/Spray CRC | Spray/Stream | Foam A | Foam B

Standard Closure Option.

Ø28/400 1# | Ø28/410 2# | Ø28/415 3# | Rachet Closure 4#

Other Option(Remote Tube).

JY113–03 | A | B

360° Feature Sprayer

TRIGGER SPRAYER

Metal Free, Normal and CRC Nozzle

All Plastic

JY115

Discharge Rate: 1.20±0.15ml/T

Qty/Ctn:400 Meas(cm):57x33x39

JY115–01 (Small)

Nozzle Size.

15x15mm

JY115–02 (big)

Nozzle Size.

18x18mm

JY115–03

Nozzle Size.

18x18mm

Nozzle Size.

18x18mm

JY115–04

Nozzle Size.

18x18mm

JY115–07(CRC)

Nozzle Option.

Spray/Stream | Spray/Spray A | Foam A For JY115–01 only | Foam B Not for JY115–01 | Spray/Spray B | Spray/Stream CRC For JY115-07 only | Foam C

Trigger Option.

1"

Standard Closure Option.

Ø28/400 1" | Ø28/400 360° Rotation 2" | Ø28/410 3" | Rachet Closure 4"

Clip Option.

NEW

CAP

JY902

Qty/Ctn:1800(for JY902–05), 2000(for JY902–06)
Meas(cm):57x33x39

Ø28/415
JY902-05

Ø24/415
JY902-06

JY903

Qty/Ctn:2000
Meas(cm):57x33x39

Ø24/410
JY903-03A

Ø24/410
JY903-03B

Ø24/415
JY903-04A

Ø24/415
JY903-04B

Ø22/410
JY903-07A

Ø24/410
JY903-08A

ISO13485

博列医疗

BOLY MEDICAL

Surgical Power Tools

146

147

BL-1000

- 技术工艺成熟，高性价比
  Mature technology, high cost-effective
- 优质国产电机，无级变速，使用方便
  Variable speed, convenient

BL1201
两用空心钻
Dual function canulate drill

标配快换钻夹头，适用于创伤手术
With quick-change chuck, applicable to trauma surgery

BL1204
两用髋臼打磨钻
Dual function acetabulum reaming drill

标配快换钻夹头，适用于关节手术
With quick-change chuck, applicable to trauma surgery

BL1107
胸骨锯
Sternum saw

适用于心胸外科手术
Applicable to cardiothoracic surgery

BL1106
颅骨铣
Cranial bur

适用于神经外科手术
Applicable to neurosurgery

BL1109
往复锯
Reciprocating saw

适用于关节手术
Applicable to joint surgery

BL1105
自停开颅钻
Cranial drill

标配快换开颅钻头，适用于神经外科手术
With quick-change drill bit, applicable to neurosurgery